

# Hanson Decorative Aggregates

## Technical Data Sheet



### HEALTH AND SAFETY

- As with all naturally occurring gravels and silica sands, small amounts of respirable quartz may be present.
- Aggregates such as crushed limestone are unlikely to contain respirable silica but we recommend that the same precautions are taken.
- If inhaled in excessive quantities over extended periods respirable quartz can constitute a long term health hazard.
- Do not breathe dust.
- Avoid eye contact.
- In case of contact with eyes, rinse immediately with plenty of water, avoiding rubbing action. Should irritation persist, obtain medical advice.

For cementitious mixes, follow health and safety advice detailed for cement. For further advice please call the Hanson Cement Customer Services on **0330 123 2074**

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# Angel Whirlpool Cobbles

## Technical Data Sheet



### PACK SIZE

Maxipack

### DESCRIPTION

75mm - 80mm Marbled Granite Cobbles.

### USES

Borders, water features and decorative features. This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

0.4m<sup>2</sup> per bag.

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# Cotswold Buff

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk

### DESCRIPTION

20mm single sized Buff dolomite / magnesium limestone.

### USES

Flower borders, ground cover mulch, infill around ponds and plant pot topping. This product is not suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.02m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.8m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# Crushed Granite

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk

### DESCRIPTION

10mm-14mm Crushed Granite.

### USES

Driveways, paths, borders, ground cover and as a decorative features. This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.020m<sup>3</sup>  
0.8m<sup>2</sup> @ 25mm depth  
0.4m<sup>2</sup> @ 50mm depth  
0.2m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# Cumbrian Red

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk

### DESCRIPTION

14mm single sized Red albite-biotite chipping.

### USES

Flower borders, ground cover mulch, infill around ponds and plant pot topping. This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.02m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.8m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# DURITE Canterbury Spar

## Technical Data Sheet



### PACK SIZE

Maxipack

### DESCRIPTION

3mm-8mm Multi-coloured calcined flint.

### USES

Dry dashing, solar reflective roof dressing, pre-cast panels, epoxy based coatings, slip resistant floor finishes, exposed aggregate paving, rolled dressing for drives and pathways.

This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

When used as a dashing for walls:

Maxipack – 1.75m

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# Monmouth Green

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk

### DESCRIPTION

10mm-14mm Chloritized green granite.

### USES

Footpaths, flower borders, ground cover mulch, infill around ponds and plant pot topping. This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.020m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.80m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)



# Pearl Grey

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk

### DESCRIPTION

20mm single sized Grey flint based gravel.

### USES

Construction of drives, car parking, footpaths, flower borders, ground cover mulch, infill around ponds and plant pot topping. This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.020m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.80m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)



# Scottish Pebbles

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk


### DESCRIPTION

20mm – 40mm Grey Quartzite, pink and grey granite, red felsite and black basalt mixed round pebbles.

### USES

Flower borders, ground cover mulch, infill around ponds, plant pot topping and water features. This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.020m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.80m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# Scottish Red

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk

### DESCRIPTION

14mm single sized Red Granite.

### USES

Flower borders, ground cover mulch, infill around ponds, plant pot topping and water features. This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.020m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.80m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# Slate Chippings

## Blue, Green and Plum

### Technical Data Sheet



#### PACK SIZE

Maxipack  
Bulk

#### DESCRIPTION

5mm-25mm natural slate chippings.

#### USES

Flower borders, ground cover mulch, infill around ponds and plant pot topping. This product is not suitable for fish ponds or aquariums as it may harm pond or aquatic life.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.

#### SUGGESTED COVERAGE RATES

Maxipack – 0.015m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.80m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth



#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# Solent Gold

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk

### DESCRIPTION

20mm – Flint based gravel.

### USES

Driveways, paths, borders, ground cover and decorative features. This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.020m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.80m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)

# White Spar

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk

### DESCRIPTION

6mm - 10mm Dolomitic White Marble.

### USES

Flower borders, ground cover mulch, infill around ponds and plant pot topping. This product is not suitable for fish ponds or aquariums as it may harm pond or aquatic life.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.020m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.80m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)



# York Gold

## Technical Data Sheet



### PACK SIZE

Maxipack  
Bulk

### DESCRIPTION

10mm single sized Flint based gold gravel.

### USES

Flower borders, ground cover mulch, infill around ponds, plant pot topping, water features. This product is suitable for fish ponds or aquariums. We recommend that this product is re-washed in clean, fresh water prior to use.

Decorative aggregates are natural products and variations in size and colour may occur due to geographical and processing variables.



### SUGGESTED COVERAGE RATES

Maxipack – 0.020m<sup>3</sup>

0.8m<sup>2</sup> @ 25mm depth

0.4m<sup>2</sup> @ 50mm depth

0.2m<sup>2</sup> @ 100mm depth

Bulk – 0.80m<sup>3</sup>

30m<sup>2</sup> @ 25mm depth

15m<sup>2</sup> @ 50mm depth

7m<sup>2</sup> @ 100mm depth

#### For further information contact:

Hanson Cement  
Ketton  
Stamford  
Lincolnshire  
PE9 3SX

#### Customer Services:

Tel: 0330 123 2074  
Fax: 01780 727008  
Email: [cement@hanson.com](mailto:cement@hanson.com)